INDEX TO VOLUME 47

The following is an annual index, by title and first author, of the *Archives of Environmental Health*, Volume 47 (1992).

A

Abbritti G, Muzi, Accattoli MP, Fiordi T, Dell'omo M, Colangeli C, Gabrielli AR, Fabbri T, D'Alessandro A. High prevalence of sick building syndrome in a new air conditioned building in Italy. 47(1):16–22.

Adgate JL, Reid HF, Morris R, Helms RW, Berg RA Hu P-C, Cheng P-W, Wang O-L, Muelenaer PA, Collier AM, Henderson FW. Nitrogen dioxide exposure and urinary excretion of hydroxyproline and desmoisine. 47(5):376–84.

Air pollution and the duration of acute respiratory symptoms. Schwartz J. 47(2):116–23.

Aircraft noise annoyance and average versus maximum noise levels. Björkman M, Åhrlin U, Rylander R. 47(5):326–29.

Arima K, Ando M, Ito K, Sakata T, Yamaguchi T, Araki S, Futatsuka M. Effect of cigarette smoking on summer-type hypersensitivity pneumonitis caused by *Trichosporon cutaneum*. 47(4):274–78.

Assessment of acute health effects from the medfly eradication project in Santa Clara County, California. Kahn E, Berlin M, Deanne M, Jackson RJ, Stratton JW. 47(4):279–84.

B

Baghurst PA, Tong S-L, McMichael AJ, Robertson EF, Wigg NR, Vimpani GV. Determinants of blood lead concentrations to age 5 years in a birth cohort study of children living in the lead smelting city of Port Pirie and surrounding areas. 47(3):203–20.

Balbus-Kornfeld JM, Frumkin H. Investigation of a reported cluster of bladder cancer cases in the Pottstown/Phoenixville area of Pennsylvania. 47(4):285–91.

Barregård L, Sällsten G, Schütz A, Attewell R, Skerfving S, Järvholm B. Kinetics of mercury in blood and urine after brief occupational exposure. 47(3):176–84.

Björkman M, Åhrlin U, Rylander R. Aircraft noise annoyance and average versus maximum noise levels. 47(5):326–29.

Bone lead measurements in patients with chronic renal disease studied over time. Price J. Grudzinski AW, Craswell PO, Thomas BJ. 47(5):330–35.

Breath ammonia depletion and its relevance to acidic aerosol exposure studies. Norwood DM, Wainman T, Lioy PJ, Waldman JM. 47(4):309–13.

Burke T, Anderson H, Beach N, Colome S, Drew B, Firestone M, Hauchman FS, Miller TO, Wagener D, Zeise L, Tran N. Role of exposure databases in risk management (the). 47(6):421–29.

C

Cancer incidence following chorophenol exposure in a community in southern Finland. Lampi P, Hakulinen T, Luostarinen T, Pukkala E, Teppo L. 47(3):167–75.

Congenital malformations and birthweight in areas with potential environmental contamination. Shaw G, Schulman J, Frisch J, Cummins S, Harris J. 47(2):147–54.

Critical review: the health significance of environmental odor pollution. Shusterman D. 47(1):76–87.

D

Daily mortality and PM_{10} pollution in Utah Valley. Pope CA III, Schwartz J, Ransom MR. 47(3):211–17.

Decontamination of human skin exposed to 2,3-7,8-tetrachlorodibenzo-*p*-dioxin (TCDD) in vitro. Weber LWD, Zesch A, Rozman K. 47(4):302–08.

Decrease in blood cacmium levels over time in Belgium. DuCoffre G, Claeys F, Sartor F. 47(5):354–56.

Determinants of blood lead concentrations to age 5 years in a birth cohort study of children living in the lead smelting city of Port Pirie and surrounding areas. Baghurst PA, Tong S-L, McMichael AJ, Robertson EF, Wigg NR, Vimpani GV. 47(3):203–20.

Dhara VR. On the bioavailability of methyl isocyanate in the Bhopal gas leak (editorial). 47(5):385–86.

DuCoffre G, Claeys F, Sartor F. Decrease in blood cacmium levels over time in Belgium. 47(5):354–56.

E

Effect of benomyl toxicity on some liver constituents of Albino rats. Igbedioh S, Akinyele I. 47(4):314–17.

Effect of low-level body burdens of lead on the mental development of children: limitations of meta-analysis in a review of longitudinal data. Thacker SB, Hoffman DA, Smith J, Steinberg K, Zack M. 47(5):336–46.

Effect of cigarette smoking on summer-type hypersensitivity pneumonitis caused by *Trichosporon cutaneum*. Arima K, Ando M, Ito K, Sakata T. Yamaguchi T, Araki S, Futatsuka M. 47(4):274–78.

Effect of air humidification on symptoms and perception of indoor air quality in office workers: a six-period cross-over trail (The). Reinikainen LM, Kaakkola JJ, Seppanen O. 47(1):8–15.

Effects of the home environment on respiratory symptoms of a general population sample of middle Italy. Viegi G, Carrozzi L, Paoletti P, Vellutini M, Diviggiano E, Baldacci S, Medena P, Pedreschi M, Mammini U, Pede C, Giuntini C. 47(1):64–74.

Effects of particulate matter exposure and medication use on asthmatics. Silverman F, Hosein HR, Corey P, Holton S, Tarlo SM. 47(1):51–56.

Environmental tobacco smoke: causative agent or white elephant? (editorial). Rylander R. 47(2):102–04.

Estimating human exposure to environmental pollutants: availability and utility of existing databases. Sexton K, Selevan SG, Wagener DK, Lybarger JA. 47(6):398–407.
Exposure of humans to a volatile organic mixture. III. Inflammatory response. Koren HS, Graham DE, Devlin RB. 47(1):39–44.
Exposure of humans to a volatile organic mixture. II. Sensory. Hudnell HK, Otto DA, House DE, Mølhave L. 47(1):31–38.
Exposure of humans to a volatile organic mixture. I. Behavioral assessment. Otto DA, Hudnell HK, House DE, Mølhave L, Counts W. 47(1):23–30.
Exposure to environmental tobacco smoke in the household and urinary cotinine excretion, heavy metals retention, and lung function. Willers S, Attewell R, Bensryd I, Schutz A, Skarping G, Vahter M. 47(5):357–63.

F

Falck F Jr, Ricci A Jr. Wolff M. Godbold J, Deckers P. Pesticides and polychlorinated biphenyl residues in human breast lipids and their relation to breast cancer. 47(2):143–46.
From research to preventive action. (editorial). Grandjean P, Kilburn KH. 47(3):166.

G

Gastric cancer mortality and nitrate levels in Wisconsin drinking water. Rademacher JJ, Young TB, Kanarek MS. 47(4):292–94.
Goldman LR, Gomez M, Greenfield S, Hall L, Hulka BS, Kaye WE, Lybarger JA, McKenzie D, Murphy RS, Wellington DG, Woodruff T. Use of exposure databases for status and trends analysis. 47(6):430–38.
Gomez SR, Parker RA, Dosman JA, McDuffie HH. Respiratory health effects of alkali dust in residents near desiccated Old Wives Lake. 47(5):364–69.
Graham J, Walker KD, Berry M, Bryan EF, Callahan MA, Fan A, Finley B, Lynch J, McKone T, Ozakaynak H, Sexton K. Role of exposure databases in risk assessment (The). 47(6):408–20.
Grandjean P, Kilburn KH. From research to preventive action, (editorial). 47(3):166.
Grandjean P, Weihe P, Jørgensen PJ, Clarkson T, Cernichiari E, Viderø T. Impact of maternal seafood diet on fetal exposure to mercury, selenium, and lead. 47(3):185–95.
Grobler S, Maresky L, Kotze T. Lead reduction of petrol and blood lead concentration in athletes. 47(2):139–42.

H

High prevalence of sick building syndrome in a new air conditioned building in Italy. Abbritti G, Muzi, Accattoli MP, Fiordi T, Dell'omo M, Colangeli C, Gabrielli AR, Fabbri T, D'Alessandro A. 47(1):16–22.
Hudnell HK, Otto DA, House DE, Mølhave L. Exposure of humans to a volatile organic mixture. II. Sensory. 47(1):31–38.

I

Igbedioh S, Akinyele I. Effect of benomyl toxicity on some liver constituents of Albino rats. 47(4):314–17.
Illness and excretion of organophosphate metabolites four months after household pest extermination. Richter E, Kowaski M, Leventhal A, Grauer F, Marzouk J. Brenner S, Shkolnik I, Lerman S, Zahavi H, Bashari A, Peretz A, Kaplanski H, Gruener N, Ishai PB. 47(2):135–38.
Illness from chemical "odors": is the health significance understood? Ziem GE, Davidoff LL. 47(1):88–91.
Immune alterations in humans exposed to the termiticide technical chlordane. McConnachie PR, Zahalsky AC. 47(4):295–301.
Impact of maternal seafood diet on fetal exposure to mercury, selenium, and lead. Grandjean P, Weihe P, Jørgensen PJ, Clarkson T, Cernichiari E, Viderø T.47(3):185–95.
Impact of environmental cadmium pollution on cadmium exposure and body burden. Sartor FA, Rondia DJ, Claeys FD, Staessen JA, Lauwerys RR, Bernard AM, Buchet JP, Roels HA, Bruaux PJ, DuCoffre GM, Lijnen PJ, Thijs LB, Amery AK. 47(5):347–53.
Indoor air '90: health effects associated with indoor air contaminants. Lebowitz MD, Walkinshaw DS. 47(1):6–7.
Inhalation of road dust by residents in polluted areas. Yamaya M, Zayasu K, Fukushima T, Sekizawa K, Shimura S, Sasaki H, Takishima T. 47(2):131–34.
Investigation of a reported cluster of bladder cancer cases in the Pottstown/Phoenixville area of Pennsylvania. Balbus-Kornfeld JM, Frumkin H. 47(4):285–91.

K

Kahn E. Berlin M, Deanne M. Jackson RJ, Stratton JW. Assessment of acute health effects from the medfly eradication project in Santa Clara County, California. 47(4):279–84.
Kido T, Nogawa K, Ohmichi M, Honda R, Tsuritani I, Ishizaki M, Yamada Y. Significance of urinary cadmium concentration in a Japanese population environmentally exposed to cadmium. 47(3):196–202.
Kinetics of mercury in blood and urine after brief occupational exposure. Barregård L, Sällsten G, Schütz A, Attewell R, Skerfving S, Järvholm B. 47(3):176–84.
Kjaergaard S, Pedersen OF, Molhave L. Sensitivity of the eyes to airborne irritant stimuli: influence of individual characteristics. 47(1):45–50.
Koren HS, Graham DE, Devlin RB. Exposure of humans to a volatile organic mixture. III. Inflammatory response. 47(1):39–44.
Krzyanowski M, Quackenboss J, Lebowitz M. Relation of peak expiratory flow rates and symptoms to ambient ozone. 47(2):107–15.

L

Lampi P, Kakulinen T, Luostarinen T, Pukkala E, Teppo L. Cancer incidence following chorophenol exposure in a community in southern Finland. 47(3):167–75.
Lead reduction of petrol and blood lead concentration in athletes. Grobler S, Maresky L, Kotze T. 47(2):139–42.
Lead acetate does not impair secretion of Sertoli cell function marker proteins in the adult Sprague Dawley rat. Nathan E, Huang HFS, Pogach L, Giglio W, Bogden JD, Seebode J. 47(5):370–76.
Lebowitz MD, Quackenboss JL, Krzyanowski M, O'Rourke MK, Hayes C. Multipollutant exposure and health responses to particulate matter. 47(1):71–75.
Lebowitz MD, Walkinshaw DS. Indoor air '90: health effects associated with indoor air contaminants. 47(1):6–7.
Levy BS, Kjellstrom T, Forget G, Jones MRD, Pollier L. Ongoing research in occupational health and environmental epidemiology in developing countries. 47(3):231–35.
Lindelof B, Almkvist O, Göthe CJ. Sleep disturbances and exposure to organic solvents. 47(2):104–06.
Lipscomb JA, Goldman LR, Satin KP, Smith DF, Vancd WA, Neutra RR. Study of current residents' knowledge of a former environmental health survey of their community. 47(4):270–73.

Lipscomb JA, Satin KP, Neutra RR. Reported symptom prevalence rates from comparison populations in community-based environmental studies. 47(4):263–69.
Liu Z, Zhou C, Lou J. Longitudinal study of lung function in jute processing workers (A). 47(3):218–22.
Loiacono NJ, Graziano JH, Kline JK, Popovac D, Ahmedi X, Gashi E, Mehmeti A, Rajovic B. Placental cadmium and birthweight in women living near a lead smelter. 47(4):250–55.
Longitudinal study of lung function in jute processing workers (A). Liu Z, Zhou C, Lou J. 47(3):218–22.

M

Matanoski G, Selevan G. Akland G, Dockery D, Edmonds L, Greife A, Mehlman M, Shaw GM, Elliot E. Role of exposure databases in epidemiology. 47(6):439–46.
McConnachie PR, Zahalsky AC. Immune alterations in humans exposed to the termiticide technical chlordane. 47(4):295–301.
Multipollutant exposure and health responses to particulate matter. Lebowitz MD, Quackenboss JL, Krzyanowski M, O'Rourke MK, Hayes C. 47(1):71–75.

N

Nambi K, Mayya Y, Rao D, Soman S. Study on cancer mortality in Tarapur-based atomic energy community (A). 47(2): 155–57.
Nasal Inhalation challenge studies with sidestream tobacco smoke. Willes SR, Fitzgerald TK, Bascom R. 47(3):223–30.
Nathan E. Huang HFS, Pogach L, Giglio W, Bogden JD, Seebode J. Lead acetate does not impair secretion of Sertoli cell function marker proteins in the adult Sprague Dawley rat. 47(5):370–76.
Nitrogen dioxide exposure and urinary excretion of hydroxyproline and desmosine. Adgate JL, Reid HF, Morris R, Helms RW, Berg RA Hu P-C, Cheng P-W, Wang O-L, Muelenaer PA, Collier AM, Henderson FW. 47(5):376–84.
Norwood DM, Wainman T, Lioy PJ, Waldman JM. Breath ammonia depletion and its relevance to acidic aerosol exposure studies. 47(4):309–13.

O

On the bioavailability of methyl isocyanate in the Bhopal gas leak (editorial). Dhara VR. 47(5):385–86.
Ongoing research in occupational health and environmental epidemiology in developing countries. Levy BS, Kjellstrom T, Forget G, Jones MRD, Pollier L. 47(3):231–35.
Otto DA, Hudnell HK, House DE, Mølhave L, Counts W.Exposure of humans to a volatile organic mixture. I. Behavioral assessment. 47(1):23–30.

P

Pesticides and polychlorinated biphenyl residues in human breast lipids and their relation to breast cancer. Falck F Jr, Ricci A Jr, Wolff M, Godbold J, Deckers P. 47(2):143–46.
Placental cadmium and birthweight in women living near a lead smelter. Loiacono NJ, Graziano JH, Kline JK, Popovac D, Ahmedi X, Gashi E, Mehmeti A, Rajovic B. 47(4):250–55.
Pope CA III, Schwartz J, Ransom MR. Daily mortality and PM_{10} pollution in Utah Valley. 47(3):211–17.
Price J. Grudzinski AW, Craswell PO, Thomas BJ. Bone lead measurements in patients with chronic renal disease studied over time. 47(5):330–35.
Price J, Grudzinski AW, Craswell PW, Thomas BJ. Repeated bone lead levels in Queensland, Australia—previously a high lead environment. 47(4):256–62.

R

Rademacher JJ, Young TB, Kanarek MS. Gastric cancer mortality and nitrate levels in Wisconsin drinking water. 47 (4):292–94.
Reinikainen LM, Kaakkola JJ, Seppanen O. Effect of air humidification on symptoms and perception of indoor air quality in office workers: a six-period cross-over trail (The). 47(1):8–15.
Relation of peak expiratory flow rates and symptoms to ambient ozone. Krzyanowski M, Quackenboss J, Lebowitz M. 47(2):107–15.
Repeated bone lead levels in Queensland, Australia—previously a high lead environment. Price J, Grudzinski AW, Craswell PW, Thomas BJ. 47(4):256–62.
Reported symptom prevalence rates from comparison populations in community-based environmental studies. Lipscomb JA, Satin KP, Neutra RR. 47(4):263–69.
Residential mobility during pregnancy for mothers of infants with or without congenital cardiac anomalies. Shaw GM, Malcoe LH. 47(3):236–35.
Respiratory health effects of alkali dust in residents near desiccated Old Wives Lake. Gomez SR, Parker RA, Dosman JA, McDuffie HH. 47(5):364–69.
Respiratory irritation from environmental tobacco smoke. Shephard R. 47(2):123–31.
Richter E, Kowaski M. Leventhal A, Grauer F, Marzouk J, Brenner S, Shkolnik I, Lerman S, Zahavi H, Bashari A, Peretz A, Kaplanski H, Gruener N, Ishai PB. Illness and excretion of organophosphate metabolites four months after household pest extermination. 47(2):135–38.
Role of exposure databases in risk management. Burke T, Anderson H. Beach N, Colome S, Drew B, Firestone M, Hauchman FS, Miller TO, Wagener D, Zeise L, Tran N. 47(6):421–29.
Role of exposure databases in epidemiology. Matanoski G, Selevan G. Akland G, Dockery D, Edmonds L, Greife A, Mehlman M, Shaw GM, Elliot E. 47(6):439–46.
Role of exposure databases in risk assessment. Graham J, Walker KD, Berry M, Bryan EF, Callahan MA, Fan A, Finley B, Lynch J, McKone T, Ozakaynak H, Sexton K. 47(6):408–420.
Romieu I, Palazuelos E, Meneses F, Hernandez-Avila M. Vehicular traffic as a determinant of blood-lead levels in children: a pilot study in Mexico City. 47(4):246–49.
Rylander R. Environmental tobacco smoke: causative agent or white elephant? (editorial). 47(2):102–04.

S

Samet JM, Lambert WE, Skipper BJ, Cushing AH, McLaren LC, Schwab M, Spengler JD. Study of respiratory illnesses in infants and nitrogen dioxide exposure (A). 47(1):57–63.
Sartor FA, Rondia DJ, Claeys FD, Staessen JA, Lauwerys RR, Bernard AM, Buchet JP, Roels HA, Bruaux PJ, DuCoffre GM, Lijnen PJ, Thijs LB, Amery AK. Impact of environmental cadmium pollution on cadmium exposure and body burden. 47(5):347–53.
Schwartz J. Air pollution and the duration of acute respiratory symptoms. 47(2):116–23.
Sensitivity of the eyes to airborne irritant stimuli: influence of individual characteristics. Kjaergaard S, Pedersen OF, Molhave L. 47(1):45–50.
Sexton K, Selevan SG, Wagener DK, Lybarger JA. Estimating human exposure to environmental pollutants: availability and utility of existing databases. 47(6):398–407.
Shaw GM, Malcoe LH. Residential mobility during pregnancy for mothers of infants with or without congenital cardiac anomalies. 47(3):236–35.

Shaw G, Schulman J, Frisch J, Cummins S, Harris J. Congenital malformations and birthweight in areas with potential environmental contamination. 47(2):147–54.

Shephard R. Respiratory irritation from environmental tobacco smoke. 47(2):123–31.

Shusterman D. Critical review: the health significance of environmental odor pollution. 47(1):76–87.

Significance of urinary cadmium concentration in a Japanese population environmentally exposed to cadmium. Kido T, Nogawa K, Ohmichi M, Honda R, Tsuritani I, Ishizaki M, Yamada Y. 47(3):196–202.

Silverman F, Hosein HR, Corey P, Holton S, Tarlo SM. Effects of particulate matter exposure and medication use on asthmatics. 47(1):51–56.

Sleep disturbances and exposure to organic solvents. Lindelof B, Almkvist O, Göthe CJ. 47(2):104–06.

Study on cancer mortality in Tarapur-based atomic energy community (A). Nambi K, Mayya Y, Rao D, Soman S. 47(2):155–57.

Study of respiratory illnesses in infants and nitrogen dioxide exposure (A). Samet JM, Lambert WE, Skipper BJ, Cushing AH, McLaren LC, Schwab M, Spengler JD. 47(1):57–63.

Study of current residents' knowledge of a former environmental health survey of their community. Lipscomb JA, Goldman LR, Satin KP, Smith DF, Vancd WA, Neutra RR. 47(4):270–73.

T

Thacker SB, Hoffman DA, Smith J, Steinberg K, Zack M. Effect of low-level body burdens of lead on the mental development of children: limitations of meta-analysis in a review of longitudinal data. 47(5):336–46.

U

Use of exposure databases for status and trends analysis. Goldman LR, Gomez M, Greenfield S, Hall L, Hulka BS, Kaye WE, Lybarger JA, McKenzie D, Murphy RS, Wellington DG, Woodruff T. 47(6):430–38.

V

Vehicular traffic as a determinant of blood-lead levels in children: a pilot study in Mexico City. Romieu I, Palazuelos E, Meneses F, Hernandez-Avila M. 47(4):246–49.

Viegi G, Carrozzi L, Paoletti P, Vellutini M, DiViggiano E, Baldacci S, Medena P, Pedreschi M, Mammini U, Pede C, Giuntini C. Effects of the home environment on respiratory symptoms of a general population sample of middle Italy. 47(1):64–74.

W

Weber LWD, Zesch A, Rozman K. Decontamination of human skin exposed to 2,3–7,8-tetrachlorodibenzo-*p*-dioxin (TCDD) in vitro. 47(4):302–08.

Willers S., Attewell R, Bensryd I, Shutz A, Skarping G, Vahter M. Exposure to environmental tobacco smoke in the household and urinary cotinine excretion, heavy metals retention, and lung function. 47(5):357–63.

Willes SR, Fitzgerald TK, Bascom R. Nasal Inhalation challenge studies with sidestream tobacco smoke. 47(3):223–30.

Y

Yamaya M, Zayasu K, Fukushima T, Sekizawa K, Shimura S, Sasaki H, Takishima T. Inhalation of road dust by residents in polluted areas. 47(2):131–34.

Z

Ziem GE, Davidoff LL. Illness from chemical "odors": is the health significance understood? 47(1):88–91.